


Storage Batteries

ATLAS ELECTRIC STORAGE BATTERY 6.

- FACTORY -


Greenville, Michigan. Bulletin No. 2



Atlas Electric Storage Battery Company

STORAGE BATTERIES

FOR ALL PURPOSES



FACTORY:
GREENVILLE. MICHIGAN

PERFACE

In the following pages we have written our literature so that an amateur or layman may not only know what a hettery is and how it is constructed, but will also know how to select the proper lattery for his cur.

Regimning on page 5 we have propared a complete list of all automobiles and all anodels, showing which battery of our analic will replace the one previously had.


The assembly number corresponds with the assembly discoverings on pages 29 to 32.


In actioning a replacement bettery it would be well to shock over the dimensions, valtage and assembly, as some automobile manufacturors have changed cortain models during the time this catalogue was propared.

To the professional storage battery man many of our explanations may not seem necessary, although the assembly drawings will prove to be of great assistance to him. Those drawings should be kept for future reference, as they will prove to be of great help in assortaining the right kind of buttery for any sor.

Additional data not found in this satulogue, which might be recessory only to engineers and sequents, will be functioned again request.

The middlion to the lines illustrated in the following pages, we manufacture interies for alcotric sars, trucks, X-Rays, from lighting systems, private home lighting systems, small town and suburban plants, and many ather purposes. Ask as for astimates.





What Is a Storage Battery?

A Brief Description of the Construction of a Storage Battery

The illustration herewith shows the interior of an Atlas Storage Battery. Half of the battery is cut away to show the inside arrangement of the plates, separators, etc.

The plates of any storage battery are the most important, for upon their ability to resist deterioration depends the life of the battery. The hardness and strength of Atlas battery plates is unsurpassed and therefore we feel safe in giving a one-year guarantee with every battery.

It is true that there are other batteries with hard paste plates, but it will be found that in most cases they lack capacity.

The Atlas Electric Storage Battery Co. makes a plate that has the right hardness, strength and capacity, due to years of careful research and experimenting; especially in the last two years we have made very important improvements. The inventor of the Atlas Battery is an Electric Chemical Engineer with thirty-one years' experience in the Storage Battery line; also he is the originator of many patents which are in use in all countries. Our technical laboratory is always with the time to bring out new constructions and improvements.

The next important part is the so-called separator. In most batteries this separator consists of simply a ribbed sheet of wood. Its purpose is twofold: First, to separate the plates and keep them apart, for if any of the plates should touch each other a short circuit would result. Second, it should be a porous, absorbent material to "soak up" the acid, holding it against the plate.

The Atlas Indestructible Plate Divider is a combination of hard rubber and wood, possessing the qualities of both. The hard rubber possesses the strength to keep the plates apart; the wood has the necessary porosity. A true wonder in modern storage battery construction!

Short circuiting, which constitutes 80 per cent of all battery trouble, is absolutely impossible.

Next comes the hard rubber jar. The strength and quality of the hard rubber jars which contain the plates is also very important and we make it a point to test every jar before being used.

There are two kinds of plates in every storage battery, viz.: The positive plate, which has a chocolate brown color, and the negative plate, which is of blue-gray tint.

An odd number of plates, always one more negative than positive, is placed in a jar, the plates being properly separated by the indestructible dividers called separators in other batteries. The positive plates are all connected to one strap and the negative plates to another strap. Such an arrangement is called a cell. Any number of such cells is called a battery.

VOLTAGE

Voltage indicates the potential pressure of electricity. The voltage of each storage cell to about 2 volts when charged. Thus, 3 cells will have 6 volts, and 6 cells 12 volts, etc.

AMPERAGE

The definition of amperes in a battery may most easily be compared with the flow of water.

If a water pipe discharges i. g. 15 gallons in one hour its capacity would be 15 gallons per hour.

The same with a battery. An 80 ampere-hour battery can thus give 1 ampere for eighty hours or 20 amperes for four hours or 80 amperes for one hour, etc. The number of amperes X the number of hours = ampere hours.

The ampere-hour capacity of a storage battery varies with the number of plates within. The more plates a cell contains, the more ampere hours capacity it will possess.

As explained previously, a number of these cells constitute a battery.

The cells are first placed in a wooden box and the tops are closed by covers, also made of hard rubber. The whole is then sealed by a special flexible material resembling wax, which is necessary to keep the acid from spilling over the top of the battery.

In the center of the cell, through the cover, a tube is placed which is closed by a cap or plug. This tube is needed to let the gases, caused by charging, escape. The vent caps or plugs can be removed to inspect or refill the battery with distilled water. This refilling, with distilled water only, should be done once every two weeks.

When the cells are placed and the battery is properly sealed, the so-called connectors are burned on. A connector is simply a strip of lead which leads the current from one cell to another.

HOW TO ORDER

There is an Atlas Battery for every make of car on the market. Therefore all that is necessary is to know the number of cell voltage and dimensions of the battery.

On pages 6 to 14 you will find a full list of all cars and the proper battery, and on pages to 32 a number of assembly drawings showing the different arrangements of the cells.

In our price list we have endeavored to keep the indication of different types as simple as possible.

For instance, a battery for an Abbott-Detroit is listed thus:

6 PL 19-A, Assembly 101.

6 indicates the voltage, PL the type of plates, 19 the number of plates, and A the style or arrangement of the individual cells. Assembly 101 further shows an exact reproduction of what the battery looks like as seen from the top of the battery.

No difficulties should be experienced, but if you should have trouble to ascertain the proper battery to replace your old one, look at the name plate of your old battery and on page 5 you will find our type of battery as the equivalent to the other makes.

If desired, we will further assist you in selecting the right battery.

Remember, there is an Atlas Battery with Hard Paste Plates and Indestructible Plate Dividers for every make, year and model of car, and they are guaranteed for one year.

Purchase an Atlas Battery and be convinced.

We also manufacture Batteries for all purposes—Home Light Plants, Train Lighting Batteries, etc. Ask for Catalogues.

STANDARD REPLACEMENTS FOR BATTERIES OF OTHER MANUFACTURERS

Atlas	Willard	Detroit	Vesta	U. S. L.	Ever- Ready	Gould	Phila- delphia	General Lead
6PL11	SLB66	DSB611	6L11	A311	6SR60	BL670 .	116LL	SR6.60
6PL13	SLB68	DSB613	6L13	A313	6SR80	BL695	136LL	SR6.80
6PL15	SLB610	DSB615	6L15	A315	6SR100	BL610	156LL	SR6.100
6PL19	SLB612	DSB619	6L19	A319	6SR120	BL612	196LL	SR6.120
	SSB66	DNB611	6S11	F311	6SH60	BH670	116LH	SH6.60
6PS11	SSB68	DNB613	6S13	F313	6SH80	BH695	136LH	SH6.80
6PS13	SSB610	DNB615	6S15	F315	6SH100	BH610	156LH	SH6.100
6PS15	SSB612	DNB619	6S19	F319	6SH120	BH612	196LH	SH6.120
6PS19	LBA5-6	DHB611	6U11	C311		AL681	116LM	GLB5-6
6PX11	LBA6-6	DHB613	6U13	C313		AL699	136LM	GLB6-6
6PX13	LBA7-6	DHB615	6U15	C315	***************************************	AL615	156LM	GLB7-6
6PX15	LBA8-6	DHB617	6U17	C317	***************************************	AL632	176LM	GLB8-6
6PX17		DPS611	6H11	G311	6GD80	BSHH610	116LG	GS80
6PH11	PSW68 PSW612	DPS615	6H14	G315	6GD120	BSHH675	156LG	GS120
6PH15	SLB1231/2	DSB127	12L7	A607	12SR35	BL1235	712LL	SR1235
12PL7	SLB12572 SLB125	DSB121	12L9	A609	12SR50	BL1250	912LL	SR1250
12PL9	SLB125 SLB126	DSB123 DSB1211	12L11	A611	12SR60	BL1270	1112LL	SR1260
12PL11	SLB120 SLB128	DSB1211 DSB1213	12L13	A613	12SR80	BL1295	1312LL	SR1280
12PL13	SLB128 SLB1210	DSB1215	12L15	A615	12SR100	BL1210	1512LL	SR12100
12PL15	SSB1231/2	DNB1213	12S7	F607	12SH35	BH1235	712LH	SH1235
12PS7 12PS9	SSB12572 SSB125	DNB121	12L9	F609	12SH50	BH1250	912LH	SH1250
12PS11	SSB126	DNB1211	STATE OF STATE OF STATE OF	F611	12SH60	BH1270	1112LH	SH1260
12PS13	SSB128	DNB1213		F613	12SH80	BH1295	1312LH	SH1280
12PS15	SSB1210	DNB1215		F615	12SH100	BL1210	1512LH	SH12100
12PX7	LBA3-12	DHB127	12U7	C607		AL1245	712LM	GLB3-12
12PX9	LBA4-12	DHB129	12U9	C609		AL1263	912LM	GLB4-12
12PX11	LBA5-12	DHB1211		C611		AL1281	1112LM	GLB5-12
12PX13	LBA6-12	DHB1213		C613		AL1299	1312LM	GLB6-12
12PH9	PSW4-12	DPS4-12	12H9	G609			912LG	GS412
16PL7	SLB163½	DSB167	16L7	A807	16SR35	BL1635	716LH	SR1635
16PL9	SLB165	DSB169	16L9	A809	16SR50	BL1650	916LL	SR1650
16PL11	SLB166	DSB1611	16L11	A811	. 16SR60	BL1660	1116LL	SR1660
16PS7	SSB1631/2	DNB167	16S7	F807	16SH35	BH1635	716LH	SH1635
16PS9	SSB165	DNB169	16S9	F809	16SH50	BH1650	916LH	SH1650
16PS11	SSB166	DNB1611	16S11	F811	16SH60	BH1660	1116LH	SH1660
18PL7	SLB1831/2		18L7	A907	18SR35	BL1835	718LL	SR1835
18PL9	SLB185	DSB189	18L9	A909	18SR50	BL1850	918LL	SR1850
18PL11	SLB186	DSB1811	18L11	A911	18SR60	BL1860	1118LL	SR1860
18PS7	SSB183½	DNB187	1857	F907	18SH35	BH1835	718LH	SH1835
18PS9	SSB185	DNB189	18S9	F909	18SH50	BH1850	918LH	SH1850
18PS11	SSB186	DNB1811	18S11	F911	18SH60	BH1860	1118LH	SH1860
24PL5	SLB242	DSB245	24L5	A1205	24SR20	BL2420	524LL	SR2420
24PS7	SSB42	DNB245	24S5	F1205	24SH20	BH2420	524LH	SH2420

			Battery	Assembly	List
Name	Year	Model	Туре	No.	Price
Abbott-Detroit	1913-14	E44, L44, L50 D34, K34, K40	6 PL 19 A 6 PS 19 A	101	\$44.28
	1913-14-15 1915	F50, F60	6 PS 19 A	110	44.28 44.28
	1916	6-44	6 PX 11 A	210	33.06
	1916	8-80	6 PL 13 A	105	33.06
	1916 1916	8-80 8-80	6 PS 13 A 6 PS 19 A	129 112	33.06
	1917	6-44	6 PX 11 A	210	33.06
Adams-Lancia	1914-15-16	35th P.	6 PL 19 A	101	44.28
	1917		12 PX 7 A	BP	43.98
Allen	1913	All Models	6 PS 19 A	110	44.28
	1914 1915–16	All Models 33, 34, 35, 37	6 PS 15 A 6 PS 13 A	114	38.52
	1915-10	37	6 PX 13 A	129 105	33.36 38.04
Alpena	1913		24 PS 5 HD		57.00
Alter	1916	C	12 PX 7 A	157	43.98
	1917		6 PX 11 A	210	33.06
American	1913-14	30	6 PL 19 A	101	44.28
	1913	Scout	12 PL 9 A	126	48.42
	1914 1914	Scout	6 PL 13 A 6 PL 13 A	105 111	33.36 33.36
	1914	Scout	12 PL 9 A	113	48.42
	1916-17	A Series I	6 PX 13 A	113	38.04
American-La France.		C . M . J. J.	6 PH 15 A	160	45.12
*Ames	_ 1916	Some Models	12 PS 15 D	153	61.32
Zames	1913–14–15 1914–15	Some Models	6 PH 11 A 6 PH 11 A	109 117	40.38
Amplex		Dome Models	6 PL 15 A	107	38.52
Apperson		4-45, 4-55		10.	00.02
		6-45, 6-55	6 PH 11 A	109	40.38
	1914	4 40 0 00	6 PL 15 A	103	38.52
	1914-15-16-17	4-40, 6-60 6-48, 6-60	6 PL 13 A	105	33.36
Argo	1916	0 10, 0 00	12 PL 7 A	125	42.18
Anger		A. E. C. 6-60	6 PL 19 A	106	44.28
*Auburn		4-41, 6-45, 6-46	6 PL 19 A	101	44.28
	1914		6 PL 13 A	105	33.36
	1914-15	4-40, 6-40	6 PL 19 A	106	44.28
	1915–16–17 1915	4-38, 6-40, 6-38 6-40	6 PX 11 A 6 PL 13 A	115 132	33.06 33.06
	1916	6-40 A	6 PX 13 A	192	38.04
	1917	6-39	6 PX 11 A	115	33.06
Auctio	1917	6-44	6 PX 13 A	192	38.04
Austin	1914 1914–15	•	6 PL 19 A	101	44.28
	1914-15-16		6 PL 19 A * 6 PS 19 A	106 112	44.28
	1917		6 PL 15 B	BP	38.52
Avery	1914		6 PL 13 A	105	33.36
Barley		***************************************	6 PL 15 A	107	38.52
Bell	1914		6 PL 13 A	105	33.36
~~~	1916 1917	A 16 A 17	12 PL 7 A 6 PL 13 A	125 105	42.18
Benham		A 11			
Biddle			6 PL 15 A	107	38.52
	1917		6 PL 13 A 6 PL 15 B	105 167	38.52
Brewster		***************************************			52.98
D.		7.1.7.	12 PL 11 A	131	
Briscoe	1914–15 1915	14, 15 15	12 PL 7 A 12 PS 7 A	125 136	42.18 42.18
	1916	4-38, 8-38	12 PL 7 A	122	42.18
	1917-18-19	24	6 PL 13 B	133	33.36
Brockville-Atlas			12 PL 7 A	124	42.18
Brockway Truck			6 PL 19 A	101	44.28
		***************************************			

*Note-It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

				Assembly	List
Name	Year	Model Dor Doc	Type	No.	Price
Buick	1914	B24, B25, B36 B37, B54, B55	6 PL 13 B	135	33.36
	1915	C24, C25	6 PL 13 B	135	33.36
	1915	C36, C37, C54			
		C55, C-4	6 PX 13 A	151	38.04
	1916	D44, D45, D46	CDNIA	100	00.00
	1016	D47, D38	6 PX 11 A 6 PX 11 A	189 190	33.06 33.06
	1916 1917–18	D55, D54 D6-45-46-47	6 PX 11 A	BP	33.06
Cadillac		12	24 PS 5 HD	183	57.00
Out of the contract of the con	1913	13	6 PH 15 CD	182	47.52
	1914	14	6 PS 19 B	144	44.28
	1915-16	51, 53	6 PS 19 B	177	44.28
	1917	55	6 PS 19 B	BP	44.28
Canadian Cycle	1914		18 PS 11 E	186	70.50
Canadian Motors	1914		16 PL 9 A	118	58.20
Canadian Crow	1916		12 PL 7 A	125	42.18
Carter Car	1913-14	5	16 PL 7 A	123	51.66
	1914–15	7, 9	6 PX 13 A	116	38.04
Case	1914–15	R	6 PS 13 A	137	33.36
	1914-15	M-35, S, O	6 PS 15 A 6 PS 19 A	138	38.52 44.2
	1914–15 1917	13, 14 T	6 PL 13 A	139 219	38.52 33.36
Chadwick		19	6.PS 13 A	130	33.36
Chadwick	1913-14	19	6 PL 15 A	107	38.52
	1914		6 PL 15 A	103	38.52
Chalmers		24, 26, 26B, 29	18 PS 9 EC	145	63.90
	1916-17-18	32-32B	6 PX 13 C	168	38.04
Champion	1916	A, B	6 PX 11 A	210	33,06
Chandler			6 PS 13 A	130	33.36
	1916-17-18	100,000 Series			
		17 Series	6 PL 13 A	193	33.36
	1917-18		6 PL 13 A	BP	33.36
Chevrolet	1914-15		6 PL 15 A	103	38.52
	1914	H4	6 PS 19 A 6 PL 13 A	110 105	<b>44.28</b> <b>33.36</b>
	1916-17 1916-17	4-90	6 PX 11 A	202	33.06
	1917-18	BG	6 PL 13 A	BP	33.36
Colby	1914		6 PX 13 A	108	38.04
Cole	1013	4-40, 4-50, 4-60	24 PS 5 H	183	57.00
	1914	9-4, 9-6, Big 6	6 PS 19 B	146	44.28
	1915	10-4, Standard	C DV 10 A	171	20.04
	1016	4, Little 6 4–40, 6–66, 8–50	6 PX 13 A 6 PX 11 A	$\begin{array}{c} 151 \\ 201 \end{array}$	38.04
	1916 1917	4-40, 0-00, 0-00	6 PX 11 A	BP	38.04 3 3 0 6
Columbia			6 PH 11 A	109	40.38
Columbia	1917	A	6 PX 11 A	BP	33.06
Continental			12 PL 9 A	113	48.42
*Corbitt			16 PL 9 A	118	59.40
7 1-1-1	1914		6 PL 15 A	107	38.52
Crane			6 PL 19 A	101	44.28
Crawford			6 PX 13 A	108	38.04
Olawiola	1913-14		6 PH 11 A	109	40.38
	1915-16		6 PL 13 A	105	33.36
	1917	6-17-40	6 PX 11 A	BP	33.06
*Crow-Elkhart	1913-14		6 PL 19 A	101	44.28 30.54
	1913		6 PL 11 A 6 PL 13 A	104 111	33.36
	1913–14 1915–16		6 PL 13 A	105	33.36
	1916	C. E. 30	12 PX 5 A		39.72
	1917-18		6 PX 11 A	115	33.06
Cunningham	1915-16	V	6 PS 15 A	102	38.52
	1917–18		6 PL 13 A	BP	33.36
Daniels	1916-17	A	6 PS 15 B	208	38.52
Dart Mt. Truck			6 PL 13 A	105	33.36
*Note-It will be no	ecessary to give us	the correct measure	ements of the ol	d battery,	as the

*Note—It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

Okonite Cable and Lugs Extra.

Name	Year	Model	Battery Type	Assembly No.	List Price
*Davis	1913-14		6 PX 13 A	108	38.04
Davis	1913-14		6 PH 11 A	109	40.38
	1914		6 PL 13 B	133	33.36
	1914–15	E C	6 PL 13 A 6 PX 11 A	105	33.36
	1916 1916–17	F. G. 6-E	6 PX 13 A	115 116	33.06 38.04
	1910-17	6-H-61-S17	6 PX 11 A	210	33.06
	1913		6 PH 11 A	109	40.38
Dayton	1913-14		6 PH 15 A	148	45.12
Detroit Commercial.	1916		12 PL 7 A	125	42.18
Continue Commercial.	1916-17		6 PX 11 A	115	33.12
oiter	1912	A2	6 PS 15 A	114	38.52
	1912-15	A2, A5, B5			
		B6, C5	6 PL 15 A	107	38.52
	1916	CAC	6 PL 15 A	103	38.52
	1917	646	6 PX 11 A	210	33.06
Dion Bouton	1914	F ()	6 PH 15 A 6 PL 19 A	148 101	45.10 44.28
	1914-15-16	E. Q.			
12112	1915		6 PL 13 A	111	33.36
patch	1916	All Models	12 PL 7 A	125	42.18
Edixie	1916	56 D17	12 PL 7 A 6 PX 11 A	125 210	42.18 33.06
	1917	P17			
ilodge			12 PX 7 A	157	43.98
Dorris	1913-14-15		6 PL 13 A	111	33.36 38.52
	1914–15 1917		6 PL 15 A 6 PX 13 A	116	38.04
			12 PL 7 A	204	42.18
Lort	1915 1916–17–18	5, 5A	6 PX 11 A	205	33.06
Ficia	1917–18	0,011	6 PX 11 A	BP	33.06
Ligiti	1917		6 PX 11 A	210	33.06
Hampire	1914	31	6 PL 15 A	103	38.52
	1915	31, 40	12 PL 9 D	141	48.42
	1916		6 PL 13 A	105	33.36
	1917		6 PX 11 A	202	33.06
*Enger	1913-14	P .	16 PL 7 A	120	51.66
	1914–15	TOWNS CIV	6 PX 13 A	108 202	38.04 33.06
TO	1916	TWIN SIX	6 PX 11 A	158	48.72
Erbes, L. C.			12 PX 9 A		44.28
Fiat		55, 56	6 PL 19 A	101	33.36
Gersix		C	6 PL 13 A	105	54.06 5 5. 2
Franklin		2, 3, 4, 5	18 PS 7 E 12 PS 11 A	140 152	52.98
	1914–15 1916	6, 7, 8	12 PX 7 A	231	43.98
Fostoria Light		All Models	6 PX 11 A	210	33.06
Ford	1915	Splitdorf	12 PL 7 A	122	42.18
	1915	Gray & Davis	12111 111		
		Single Unit	6 PX 13 C	168	38.04
	1915	Gene-Motor	12 PL 7 A	196	42.18
	1915	Northeast	12 PS 9 A	199	48.42
	1915	Westinghouse	12 PX 7 A 6 PL 15 A	157 103	38.52
	1915–16 1916	Kemco Gray & Davis	OILIOA	100	
		Double Unit	6 PS 11 C	170	30.54
	1916	Dynete	12 PL 7 A	197	42.18
	1916	Northeast	12 PS 9 E	198	48.42 43.98
	1916 1915	Westinghouse Grave & Davis	12 PX 7 A	157	10.00
	1919	Gray & Davis Single Unit	6 PX 13 C	168	38.04
Fisher Motor Car	1914-15	omgie e me	6 PH 11 A	117	40.38
Glide			6 PL 13 A	111	33.36
	1913–14	30, 36	6 PL 13 A	105	33.36
	1915-16	30, Light 6-40	6 PL 13 B	133	33.36
Gramm-Gernstein	1913		6 PH 11 A	129	40.38
	1914		6 PH 11 A	117	40.38
	1914		6 PX 13 A	128	38.04 33.36
	1915		6 PL 13 A	105	

Name	Vacan		Battery	Assembly	List	
Gramm Motor Truck	Year 1012	Model	Type 6 DII 11 A	No.	Price	
Orallilli Motor Truck	1914-15-16		6 PH 11 A 6 PL 13 A	109 105	40.38	
	1916	Some Models	6 PL 15 A	103	38.52	
Grant	1916	TT	6 PX 11 B	220		
	1917	K	6 PX 11 A	230	33.06 33.06	
Great Eagle			6 PS 19 A			
Great Western				110	44.28	
Great Western	1914-15		6 PL 13 A 6 PL 13 A	105 171	33.36 33.36	
	1915		6 PL 15 A	103	38.52	
Grout	1913-14		6 PL 15 A	175	38.52	
	1913-14-15		6 PL 15 A	103		
	1914		6 PL 15 A	103	38.52 38.52	
	1916	O, Light 6	6 PX 13 A	116	38.04	
	1917		6 PX 11 A	210	33.06	
Harroun		A-A1	6 PX 11 A	BP	33.06	
Harwood-Barley						
Tial wood-Dalley	1916	S	6 PL 19 A 6 PL 13 A	101 105	44.28 33.36	
	1916	D. R. L.	6 PL 19 A	106	44.28	
*Havers	1913		6 PX 13 A	108	33.04	
	1913–14	44, 45	16 PL 9 A	118	58.20	
	1914		6 PL 15 A	107	38.52	
Haynes	1912	22, 23, 24, 25	12 PS 15 D	153	61.32	
	1913-14	26, 27, 28	12 PL 11 A	131	52.98	
	1914–15	30, 31, 32	6 PS 15 A	114	38.52	
	1915	A 11 3 7 3 1	6 PS 15 A	102	38.52	
	1916–17 1917–18	All Models	6 PX 15 A	221	42.48	
Henderson			6 PL 15 A	162	38.52	
	1913–14		6 PL 15 A	103	38.52	
*Herff-Brooks			16 PL 7 A	119	51.66	
	1913–14 1915		6 PL 15 A 12 PL 9 A	103	38.52	
*Herreshoff	1913			113	48.42	
· I I E I I E SHOIL	1913		6 PL 15 A 6 PS 19 A	107 110	38.52	
	1913-14		6 PS 15 A	114	44.28 38.52	
Hollier	1916	168	12 PX 7 A	207	43.98	
	1917		6 PX 11 A	210	33.06	
Hudson	1913	37, 54	24 PS 5 H	183	57.00	
	1914-15	6-40	6 PL 13 A	174	33.36	
	1914-15	6-54	6 PS 19 B	173	44.28	
	1916	6-40	6 PX 13 A	203	38.04	
	1916-17-18	6–40 Super	6 PX 13 A	BP	33.06	38-06
Hupmobile	1914-15	K	12 PL 9 A	156	48.42	
	1914–15 1914	30, 31	6 PS 15 A	114	38.52	
	1914	H. A. N. Q. L.	6 PL 15 A 6 PX 13 A	103 116	38.52 38.04	
	1916	N. R.	6 PX 13 A	116	38.04	
Imperial	1913-14		16 PL 7 A	120	51.66	
	1915-16		6 PX 13 A	108	38.04	
Interstate	1915		6 PL 13 A	105	33.36	
	1916	$\mathbf{T}$	6 PX 11 A	115	33.06	
	1916-17	6-40 A, 6-44	6 PX 13 A	192	38.04	
Jackson	1913-14	33, 44, 54	16 PL 7 A	120	51.66	
	1914		12 PL 9 A	113	48.42	
	1914-15	Olympic, 44, 46	6 PL 15 A	107	38.52	
	1914	Majestic Sultanic	6 PS 19 A	110	11 00	
	1915		6 PX 13 A	110 128	44.28 38.04	
	1915	6-48	6 PL 13 A	132	33.36	
	1916		6 PL 15 A	103	38.52	
	1916	0.40	6 PL 13 A	105	33.36	
T-66	1917	Greek Country	6 PX 11 A	210	33.06	
Jenery	1913 1914–16	Cross Country	24 PS 5 A 24 PS 5 A	165	64.74	
	1914-15	4 Cyl.	12 PL 13 A	165 147	64.74 56.16	
	1915–16	Ch. 6	6 PL 15 A	162	38.52	
	1916	Jeffery 4	6 PX 13 A	212	38.04	
***	1917	ng the connect man	6 PL 13 A	106	33.36	
*Note-It will be r		us the correct measur	ements of the	old battery,	as the	

*Note—It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

Okonite Cable and Lugs Extra.

Name	Year	Model	Battery Type	Assembly No.	List Price	
Tanas	1915-16		6 PL 15 A	103	38.52	
Jones	1915-16		6 PX 13 A	108	38.04	
	1915		6 PL 15 A	107	38.52	
Tandan	1916–17–18		6 PL 13 A	108	33.36	
Jordan					00.00	
Kelly Springfield Motor Truck	1914		6 PL 15 A	107	38.52	
INIOTOL LINCK	1914		6 PL 15 A	103	38.52	
TE L. L. Waren Co		L 2000	6 PX 13 A	116	38.04	
Kentucky Wagon Co.	1916	L 2000	6 PX 11 A	115	33.06	
	1916	M 130	12 PX 7 A	209	36.65 4398	
		A	6 PL 11 A	104		
King	1914	B	6 PS 13 A	130	30.54 33.36	
	1915	C	6 PX 13 A	108	38.04	
	1916	E	6 PX 11 A	210	33.06	
Trianal .	1914		6 PL 18 A	154	44.28	
Kissel	1915		6 PL 15 A	103	38.52	
	1916	432, 642	6 PX 13 A	116	38.04	
	1917		6 PX 11 A	210	33.06	
*Kline Kar	1913–14		6 PS 19 A	110	44.28	
Trine Izai	1914		6 PS 15 A	114	37.32	
	1916	6–36	6 PX 13 A	218	38.04	
	1917	6-38-SF	6 PX 11 A	BP	33.06	
Knox	1913-14	R, S	6 PL 19 A	101	44.28	
I K.IOA	1915-16-17	All Models	6 PL 23 A	222	51.06	
Kressler		Coupe, Sedan			/	
TAICSSICI	1310	Truck	12 PX 7 A	200	36.65-43.98	
4 4 7 5 4	1014 15	L	6 PL 13 A	111	33.36	
*Krit	1914	L	6 PS 13 A	129	33.36	
	1914–15	L	6 PS 13 A	130	33.36	
	1914		12 PL 7 A	125	42.18	
	1915	M	12 PS 7 A	150	42.18	
Lancia Co.	1914		6 PL 19 A	101	44.28	
		LI	6 PS 15 A	102	38.52	
*Lexington Howard		H				
Lexington Howard			6 PL 13 A	105	33.36	
	1914 1915	M	6 PL 19 A 6 PS 15 A	110 102	44.28 38.52	
	1916	M	6 PX 11 A	115	33.06	
	1917	A	6 PX 11 A	210	33.06	
Tibouter		10A	6 PX 11 A	210	33.06	
Liberty						
Lippard-Steward		M Dymata	12 PX 7 A	157	43.98	
	1916	M, Dyneto 2 Unit	6 PX 11 A	115	33.06	
	1916	B, C, D, BW,	UIAIIA	110	90.00	
	1010	CW, DW	6 PX 13 A	116	38.04	
Locomobile	1019 13 14	R2, R3, M3, M4	6 PS 19 A	110	44.28	
150comodie	1915		6 PS 19 A	112	44.28	
	1915	38, Ld, R4, M5	6 PS 19 A	172	44.28	
	1916	44, L9, R7, M7	6 PS 19 A	172	44.28	
Lozier	1913-14	22, 22A, 27	6 PH 11 A	176	40.38	
	1914-15-16	30, 32, 34	6 PX 13 A	108	38.04	
L. P. C. Motor Car		, , , , , ,	6 PL 15 A	103	38.52	
D. I. C. IVIOTOI CHI	1914-15-16		6 PL 15 B	167	38.52	
McFarlan				106	44.28	
		***************************************	6 PL 19 A			
McIntyre			6 PL 19 A	101	44.28 44.28	
	1914 1915		6 PL 19 A 6 PL 13 A	106 105	33.36	
	1915		6 PX 13 A	108	38.04	
McLaughlin	1012 14	C FO			40.38	
TVICLaughiin	1913–14 1914–15	6-50	6 PH 11 A	109	40.38	
	1917		6 PH 11 A 6 PX 11 A	BP BP	33.06	
Mac Car					38.52	
Maihaha	1916-17-18		6 PL 15 A	103		
			6 PX 9 A	BP	29.28	
*Marathon		***************************************	6 PL 15 A	107	38.52	
	1915	***************************************	6 PL 13 A	105	33.36	
*Note-It will be -						

*Note-It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

Name	Year	Model	Battery A Type	Assembly No.	List Price
Marion	1913-14-15		6 PL 19 A	101	44.28
	1916		6 PX 13 A	108	38.04
	1917		6 PL 13 A	105	33.36
*Marmon	1912		6 PH 11 A	104	40.38
	1913–14	32, 48	16 PL 9 A	118	58.20
	1914-15	***************************************	12 PL 9 A	126	31.66 48.42
	1915-16-17	***************************************	12 PL 9 A	156	51.06 41.42
Mason	1914		6 PL 19 A	101	44.28
R.T11	1915		6 PL 19 A	106	44.28
Maxwell	1918–19 Truck		6 PX 11 A	BP	33.06
	1915-16-17	25	6 PH 11 A 12 PL 7 AM	109 213	40.38
	1918		12 PL 7 A	124S	$42.18 \\ 42.18$
Mercer	1913-14		6 PS 19 A	110	44.28
	1913–14		6 PL 19 A	101	44.28
	1915-16	22-70, 22-72	12 PL 11 D	223	52.98
*Meteor	1913-14	***************************************	6 PL 15 A	107	38.52
	1913–14		6 PL 13 A	111	33.36
	1914		12 PL 9 A	113	48.42
	1914		6 PX 13 A	128	38.04
	1915 1915	***************************************	6 PX 13 A	108	38.04
	1916		12 PL 11 A 6 PX 11 A	131 115	52.98
Metz	1913–14		24 PL 5 A	163	33.06
141014	1915–16		6 PS 11 C	170	57.00 30.54
*Mighty Michigan		40	16 PL 7 A	120	51.66
Tingut, Timonigum	1913-14		6 PH 11 A	109	40.38
	1913-14		6 PH 11 A	117	40.38
	1913		6 PX 13 A	128	38.04
Mitchell	1913–14		6 PL 19 A	101	44.28
	1913		6 PS 19 A	110	44.28
	1914 1914–15	Spec 6 Del was	18 PS 7 E	140	53.26 55.26
	1915	Spec. 6, DeLuxe Light 4	6 PL 19 A 12 PX 9 A	$\frac{106}{158}$	44.28 48.72
	1915	Light 6	12 PH 9 A	161	53.26
	1916	60 F. 16	12 PX 9 A	158	48.72
	1916	8	6 PX 19 A	106	44.28
	1917	C42	6 PX 13 A	116	38.04
ψRπ-11	1917	D40	6 PX 11 A	115	33.06
*Moline	1912 1913–14	40 M 40	6 PL 19 A	101	44.28
	1913-14		6 PL 15 A 12 PL 11 A	175 131	38.52 52.98
	1915-16		6 PL 15 A	103	38.52
	1917	MK 50 C	6 PX 13 A	BP	38.04
Monroe	1914-15		6 PL 15 A	103	38.52
	1914		6 PS 19 A	110	44.28
	1915	Monroe	6 PL 13 A	105	33.36
Т.Т	1916–17	90.40	6 PL 11A	202	33.06
Moon	1913 1914	39, 48 4–42, 6–50	12 PL 9 A 6 PS 19 B	113	48.42
	1915	4-38, 6-40	6 PL 13 A	173 132	44.28 33.36
	1915	6-50	6 PS 19 B	177	44.28
	1916	6-40	6 PX 11 A	227	33.06
	1917	6-66, 6-43	6 PX 13 A	151	38.52
Moreland Truck	1914-15-16		6 PS 15 A	114	38.52
Moyer	1913–14	***************************************	6 PL 19 A	101	44.28
Nance	1913–14		6 PH 11 A	109	40.38
National	1913–14	V-1, B-3	6 PH 11 A	109	40.38
	1914	6-W	6 PL 13 A	179	33.36
	1915	A. A., A. B.	6 PL 15 B	167	38.52
	1916 1916	Highway 6 Highway 12	6 PX 13 B	184	38.04
	1010	Newport 6	6 PL 15 B	167	38.52
*Norwalk	1914-15-16-17		6 PL 13 A	111	33.36
	1914-15-16-17	***************************************	6 PL 15 A	107	38.52
Nova Scotia	1914	***************************************	6 PL 13 A	111	33.36
	necessary to give u			***	00.00

*Note-It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

	Year	Model	Battery A	ssembly No.	List Price
Name	1917-18	34	6 PX 11 A	BP	38,36 3 3.06
*Oakland	1918-19	34B-34S	6 PX 11 A	189	30.54 33.06
	1916	32	6 PX 11 A	215	33.06
	1916	50	6 PX 11 A	190	33.06
	1916	38	6 PX 11 A	189	33.06
*Ogren	1916		6 PL 13 A	105	33.36
*Ogren	1916		6 PL 19 A	106	44.28
	1917	6-50	6 PX 15 A	105	42.48
Oldsmobile	1913	53	24 PS 5 H	183	57.00
	1914–15	54, 55 42	6 PH 15C 6 PL 13 A	181 178	45.12 33.36
	1915 1916-17-18-19	43, 44–37–37 A	6 PX 11 A	214	33.06
	1917-18-19	45, 45A, 37	6 PX 11 A	BP	33.06
Overland		69, 71	24 PX 5 A	165	64.74
Overland	1913-14	79	6 PX 13 A	108	38.04
	1914		6 PX 13 B	166	38.04
	1915–16	80, 81, 82, 83	C DV 10 D	707	00.04
	1016	84, 86B	6 PX 13 B 6 PX 15 B	191 142	38.04
	1916 1916	884, 84, 87, 88 75	6 PX 11 A	228	42.48 33.06
		138, 348	6 PH 15 CD	182	44.28
ackard	1913 1913	138, 348	8 PS 15 D	229	50.52
	1913		6 PL 15 A	107	38.58
	1914-15-16	All Models	6 PL 19 AP	159	45.60
Patterson	1913-14	43, 47	6 PS 19 A	110	44.28
atterson	1913-14	43A	6 PL 15 A	107	38.58
	1914	32, 33, 33A	6 PL 13 A	179	33.36
	1915	4-32, 6-48	6 PL 13 A	132	33.36
	1916 1917	6-42 6-45	6 PX 13 A 6 PX 11 A	116 210	38.04 33.06
		0 10	6 PH 11 A	109	40.38
Pathtinder	1913–14 1914		6 PL 13 A	105	33.36
	1914		6 PX 13 A	108	38.04
	1916	7A, 7B, 7C	6 PL 19 A	106 .	44.28
	1916-17	1B, 1C, 2B, 2C	6 PL 23 B	224	51.06
	1916	8A, 8B, 8C	6 PX 13 B	184	38.04
Page-Detroit	1913-14-15	36, 25	6 PH 11 A	109	40.38
	1914	36 6-38, 6-46	6 PX 13 A 6 PX 13 A	108 108	38.04 38.04
	1916 1917	K6-17, 16-17	6 PX 13 A	142	38.04
Peerless	1913	38-6, 48-6, 60-6	6 PH 11 A	109	40.38
A CELIESS	1914-15	38-6, 48-6, 60-6	6 PH 15 A	148	45.12
	1915	54, 44, DD, EE	6 PL 13 A	171	33.36
	1917		6 PL 15 A	206	38.52
	1917–18		6 PL 15 A	BP	38.52
Pierce-Arrow	1911–13	48, 38C, 48-B2,	CDI 11 A	104	30.54
	1913-14	66A 38-C2, 48-B2	6 PL 11 A 6 PS 13 A	104 130	33.36
	1914	66-A2	6 PX 13 A	180	38.04
	1915-16	All Models	6 PX 13 A	180	38.04
	1917	A-4, B-4, C-4	6 PL 13 C	BP	33,36
Pilot	1913		6 PX 13 A	128	38.04
	1913-14		6 PH 11 A	109	40.38
	1914 1914–15	•	6 P 13 A	128 108	38.04 38.04
	1914-19		6 PX 13 A 6 PL 15 A	107	38.58
	1916-17	*	6 PX 11 A	210	33.06
Pope-Hartford	1913-14	29, 31, 33	6 PH 11 A	109	40.38
Pratt		50-H	6 PH 11 A	109	40.38
	1914–15		6 PX 13 A	128	38.04
Premier	1913		12 PL 7 A	124	42.18
	1914	48, 49	6 PS 19 A	112	44.28
	1915	Wixley	6 PS 19 A	112	44.28
D "	1917	6-B	6 PL 15 B	167	38.58
Fullman	1915–16		12 PS 9 A	216	48.42 33.06
*Note_It will be n	1917		6 PX 11 A	115	

^{*}Note-It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

Name	Year	Model	Battery Type	Assembly No.	List Price
Regal		IN, LT, LC	6 PL 15 A	103	38.52
	1914-15	RD	6 P 13 A	108	38.04
	1916	Light 4			
		Standard 4	12 PL 7 A	127	42.18
	1917		6 PX 11 A	210	33.06
Reo	1913-14-15	R. & S.	6 PH 11 A	109	40.38
	1916-17-18-19	R, S, M, N	6 PX 13 A	116 .	37.92
Republic	1913	6	6 PH 15 CD	182	47.52
	1917	9	12 PL 7 A	BP	42.18
R. C. H.	1915		6 PL 15 A	111	38.52
*Russell	1915		6 PL 19 A	101	44.28
TCUSSCII	1915	***************************************	6 PL 15 A	107	38.52
Sandow Mt. Truck		$1\frac{1}{2}$ tons	6 PL 13 A	105	33.36
Dandow Wit. Truck	1916	2 tons	6 PL 15 A	103	38.52
	1916	3 tons	6 PL 19 A	106	44.28
Saxon	1915		6 PL 11 A	104	30.54
Daxon	1915	A 6	6 PL 13 A	105	33.36
	1916-17-18-19	S, S2	6 PX 11 A	217R	33.06
Sayers & Scoville		2,22	6 PS 19 A	112	44.28
		0			
Scripps-Booth		CA De	12 PL 7 A	124	42.18 33.06
	1916 1917	C4, D8 C4	6 PX 11 A 6 PX 11 A	210 115	33.06
C		C4			
Seagrave Co.			6 PH 15 A	148 160	45.12 45.12
C' 1	1914-15-16		6 PH 15 A		45.12 44-28
Simplex			6 PL 19 A	101	
Singer			6 PS 15 A	114	38.52
	1917		6 PX 13 A	BP	33.06
Spaulding	1914		18 PS 11 B	186	70.50
Stafford	1913-14		6 PS 19 A	110	45.12-44.28
S. G. V.	1915		6 PS 15 A	114	38.52
Speedwell	1913-14		12 PL 9 A	113	48.42
	1914-15		6 PL 19 A	101	45.12 44.28
Standard	1913		6 PL 19 A	101	15.12 44. 28
	1914		6 PL 15 A	107	38.52
	1915-16		6 PL 13 A	105	33.36
Staver	1913-14		6 PL 19 A	101	45.12 44. 2
*Stearns	1912-13	4	6 PL 11 A	104	30.54
Ottourns	1913-14-15	4	6 PH 11 A	109	40.38
	1913		6 PH 15 A	148	45.12
	1913-14-15	6	6 PL 11 A	104	30.54
	1915		6 PH 11 A	117	40.38
	1914		6 PH 11 A	160	40.38
	1914–15	Light 4	6 PX 13 B	166	38.04
	1915	S I/ I /	12 PX 9 D	155	48.72
	1916 1916–17	S, K, L4 S, K, 8	12 PX 9 D 12 PX 11 D	$\frac{225}{226}$	48.72 53.46
Stevens-Duryea		C. A. A.	6 PL 11 A	104	30.54
	1914–15	D	6 PS 19 B	144	44.28
Stewart	1914		6 PL 13 A	111	33.36
	1915-16		6 PL 15 A	107	38.52
Studebaker	1013		12 PL 9 A	149	48.42
Studebaker	1914	E. B. S. C.	6 PL 15 A	185	38.52
	1915	E. C. S. D.	6 PL 15 A	103	38.52
	1916-17	50	6 PX 13 A	219	38.04
Stuta	1913		6 PL 15 A	-107	38.52
Jiuiz	1914–15		6 PS 19 A	112	44.28
	1914-15-16	E. F. C.	6 PL 19 A	101	44.28
Sun	1916	16	6 PL 13 A	105	33.36
Thomas	1913		6 PH 15 A	148	45.12
	1914		12 PS 15 D	153	61.32
Touraine	1914		6 PX 13 A	108	38.04

^{*}Note-It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

Velie	1913-14 1914 1915-16 1915 1915 1916-17 1917	9, 10, 11, 12 R, 6 22 14, 15 15 22, S-28 27, S-57C	6 PX 13 A 6 PH 11 A 6 PX 11 A 6 PX 13 A 6 PX 13 A 6 PX 11 A 6 PX 11 A 6 PX 11 A	187 169 109 115 187 108 210 105	38.04 40.38 40.38 33.06 38.04 38.04 33.06
Vulcan		21,0000	6 PL 13 A	111	33.36 33.36
Warren	1914		16 PL 9 A	118	58.20
Westcott	1914 1915 1916 1917–18	O. 30 O. 35, U. 50 41, 51	6 PL 13 A 6 PL 13 A 6 PX 13 A 6 PL 13 A	111 132 116 105	33.36 33.36 38.04 33.36
White	1913–14	GA, GAB, GAC, GAD, GAE, GAF, GAG, GAR	18 PS 7 E	140	59.26
White	1913 1915 1915 1916	GE, GEC, GEB, GF, GFB, GFD 30, 45 60 GAH, GED	18 PS 11 E 18 PS 7 E 18 PS 11 E 18 PS 7 E	143 140 143 140	70.50 53.26 70.50 53.26
Wichita	1915		6 PL 15 A	103	38.52
Willys-Knight	1917		6 PX 11 A	228	33.06
Winton	1915	21	6 PS 19 A	112	44.28
	1915–16	21A, 22A, 22	6 PS 15 B	194	38.52
Zeitler & Lamson	1916		6 PL 15 B	167	38.52
Zimmerman	1913	All Models	16 PL 7 A	120	51.66

*Note-It will be necessary to give us the correct measurements of the old battery, as the manufacturers have changed sizes on some models.

Okonite Cable and Lugs Extra.

The foregoing prices do not include brass terminals, lugs, or other connectors not made from lead. If not mentioned in the order, we deliver the battery complete with standard end connectors welded to the post. All metal outside connectors are usually delivered with the car by the manufacturer. Many batteries require bare posts to fit the brass clamps and cables mounted with the car. In case you desire special connections, same should be stated on the order. For instance:—

Type 6 PH 11—Reo 1915-16-17 Car—2 Okonite Cables extra, no lugs.

Type 6 PX 11 A—Oldsmobile—standard brass terminal posts.

The various connectors and terminals are listed on page 16.

### LIGHTING CAPACITY OF ATLAS STARTING AND LIGHTING BATTERIES

### Hours Continuous Discharge at Different Rates

Type P		3 Amps. Hrs.	5 Amps. Hrs.	71/2. Amps. Hrs.			The state of the s	Amps. Hrs.	5 Amps. Hrs.	AND DESCRIPTION OF THE PARTY OF	10 Amps. Hrs.
PL5 PS5	40	8	4	2.4	1.6	PL 13 PS 13	120	36	19	11	7.5
PL7 PS7	60	14	7	4	2.8	PL 15 PS 15	150	42.5	23.5	14	9.5
PL9 PS9	80	21	11	6	4	PL 19 PS 19	180	55	31	19.4	12
PL 11 PS 11	100	28	15	8.5	6						
PX 7	71	17.2	8.5	4.8	3.2	PX 13	177	41.3	21.8	12.8	8.5
PX 9	95	24.5	12.7	7.3	4.8	PX 15	195	48.8	26.3	16	10.5
PX 11	118	33.1	17.3	10	6.5						
· ·											
PH 11	150	42.5	23	14	9.5	PH 15	180	55	36	19.4	12

The above rating applies to batteries of any voltages or assembly.

### STARTING CAPACITY OF ATLAS STARTING AND LIGHTING BATTERIES

### Showing Number of Minutes Battery Will Spin Engine at Various Discharge Rates from 20 to 200 Amperes

Ту	ne	20 Amps.	40 Amps.	60 Amps.	80 Amps.	100 Amps.	120 Amps.	140 Amps.	160 Amps.	180 Amps.	200 Amps.
					MINU						
PL 5	PS 5	41	15	6.5							
PL 7	PS 7	85	30	17	9.5	****					
PL9	PS 9	135	45	26	16.8	11	7				
PL 11	PS 11	180	66	35	24	17	12	9			
PL 13	PS 13	227	85	46	30.5	22.5	16.7	12.7	9	7	
PL 15	PS 15		113	59	32	27.5	22	16.6	12.8	9.6	7.8
PL 19	PS 19		156	85	55	40	30.5	25	20.7	16.6	13.3
PX	7	90	31	17.5	10.5	6.5	3.5	2			
PX	9	135	48	26.5	17.6	11.9	8.3	5.5	3.5	2.2	1.8
PX	11	177	68	37	24.5	17.7	13	9.5	7	5	3.5
PX	13		89	47.5	31	23	17.7	13.7	11.5	8.2	6.4
PX	15		112	60	38	28	22.5	17.6	14.2	11.3	9.3
PH	11		113	59	32	27.5	22	16.6	12.8	9.6	7.8
PH	15		156	85	55	40	30.5	25	20.7	16.6	13.3
	te—The is a PL 15	nformatio Type Ba	n given	above a	pplies to	o batter system	ies of a requires	ny volta 80 amper	ge. For	instance	ngine, your

Note—The information given above applies to batteries of any voltage. For instance, if your car has a PL 15 Type Battery, and your starting system requires 80 amperes to turn the engine, you will find under the column headed 80 amperes, that the battery will spin the engine for 32 minutes.

## REPAIR PARTS PRICE LIST FOR ATLAS STARTING AND LIGHTING BATTERIES

				Plate	es			
Code	D	escription		Price	Code	Descrip	tion	Price
Plight	Positi	ve PL	Plate	\$0.45	Plunge	Positive P	X Plate	\$0.62
Pleurisy		ive PL I		.45	Plus	Negative P		.62
Plot	Positi		Plate	.45	Ply Pocket	Positive P		.74
Plow	Negat	ive PS I	riate	.40	rocket	Negative P	riate •	.74
				Plate Gi	roups			
Code	Battery	Туре	Description	Price	Code	Bat.Type	Description	Price
Perrin	PL 5	PS 5	Positive	\$2.45	*	PX 7	Positive	\$3.45
Perfect	PL 5	PS 5	Negative				Negative	4.25
Perfor	PL 7 PL 7	PS 7 PS 7	Positive Negative			PX 9 PX 9	Positive	4.25
Perfice Perfide	PL 9	PS 9	Positive	3.85			Negative Positive	5.05 5.05
Perfidity	PL 9	PS 9	Negative				Negative	5.85
Perflate	PL 11	PS 11	Positive	4.55			Positive	5.85
Perfolate		PS 11	Negative		-	PX 13	Negative	6.65
Perforable		PS 13	Positive	5.25		PX 15	Positive	6.65
Perforate		PS 13 PS 15	Negative Positive	5.95 5.95		PX 15	Negative	7.45
Perform		PS 15	Negative			PH 11 PH 11	Positive Negative	5.65 6.55
Perfume		PS 19	Positive	7.35		PX 15	Positive	7.45
		PS 19			Persimmor			8.35
			PILLA	AR PLAT Pos. or 1	TE STRAPS Neg.			
Types		Price	Types		Price	Types		Price
A 5		\$0.52				A 17		\$1.94
A 7		64						
Δ 0		86						
						A 21		2.96
Title and the same of the same		Dries		K CONN	IECTORS			
Types		Price	Types		Price	Types		Price
					\$0.94			
					1.10			
Λ. 9		82	A 15		1.24	A 21		1.90
					BER JARS			
PL 5 PS 5		Price \$1.60	PI 11	PS 11	Price \$1.75	DI 10 DS	10	Price \$9.11
PL7 PS7	***********	1.65	PL 13	PS 13	1.84	11.19 13	19	ф2.11
PL9 PS9		1.70	PL 15	PS 15	1.94			
Type			Type		Price	Туре		Price
PX 5		\$1.65			\$1.94	PH 13		\$2.23
PX 9		1.76	PX 15 PH 9		2.00	PH 15		2.21
PX 11	*************	1.84	PH 11		2.12	11119		2.00
			UN	NISEAL (	COVERS			
		In	nside and (	Outside Co	overs in One Pr	ice		
U 7				\$0.54	U 13			\$0.66
U 9				.58	U 15			70
SK Vonto				.62	U 19			78
SIX Vents	************						***************************************	18
			MISCE	ELLANEC	OUS PARTS			
Positive To	1.0			Each				Each
Positive End Negative En	d Conne	ectors		\$0.25	Oakland Terr			\$0.30
Taper Post	Nuts			20	Exide Termin			
Chevrolet 1	erminals	S		30	Pr. Handles, o			
Dodge Tern	ninals			30				

### BATTERIES FOR 6-VOLT STARTING AND LIGHTING SYSTEM

### Always Give Code Word—Assembly No.—Form Outside Dimensions in Inches

	0-1-	Amp. Hr.	FORM		FORM	В			
Туре	Code Word	Capacity 5 Amp. Rate	Length	Width	Length	Width	Height	Weight Lbs.	Price
6 PL 5	Vote	53	53/4	7 3/8			73/4		
6 PL 7	Very	62	63/4	73/8		******	73/4	28	\$23.20
6 PL 9	Vow	83	713	73/8	1915	9 5		32	25.55
6 PL 11	Voice	94	9 1 6	73/8		$\frac{3\frac{5}{16}}{211}$	73/4	36	29.72
6 PL 13	Vocal	104	$10\frac{7}{16}$	73/8	$19\frac{15}{16}$	3116	73/4	42	32.55
6 PL 15	Vizier	121	$10_{16}$ $11_{16}^{11}$		$19\frac{15}{16}$	41/8	73/4	50	35.53
6 PL 19	Vital	140		73/8	1915	4%	73/4	53	41.06
6 PS 5	Vain	53	1615	73/8	1915	51/2	73/4	69	47.15
6 PS 7	Valid		53/8	57/8	*******		91/8	28	23.20
		62	63/4	57/8			91/8	32	25.55
6 PS 9	Value	83	7 13	57/8	151/4	$3\frac{5}{16}$	91/8	36	29.75
6 PS 11	Vim	94	$9\frac{1}{16}$	57/8	151/4	316	91/8	42	32.55
6 PS 13	Vigor	104	$10\frac{7}{16}$	5 1/8	151/4	31/8	91/8	50	35.53
6 PS 15	Vitality	121	1116	57/8	151/4	4%	91/8	59	41.06
6 PS 19	Vivid	140	143/8	5 1/8	151/4	$5\frac{1}{2}$	91/8	69	47.15
6 PX 5	Vista	60	5 %	7 3/8	******		81/4	30	20.06
6 PX 7	Visit	71	$6\frac{3}{4}$	7 3/8			81/4	35	25.63
6 PX 9	Vision	84	7 13	7 3/8	1915	$3\frac{5}{16}$	81/4	38	31.28
6 PX 11	Viper	96	$9\frac{1}{16}$	7 3/8	1915	311	81/4	47	35.19
6 PX 13	Vixla	108	$10^{7}_{16}$	73/8	1915	41/8	81/4	55	40.48
6 PX 15	Veil	126	1111	73/8	1915	45/8	81/4	64	45.26
6 PX 19	Vial	152	$14\frac{5}{16}$	73/8	1915	51/2	81/4	72	48.34
6 PH 5	Verb	68	5 3/8	73/8			91/2	38	34.63
6 PH 7	Vast	80	63/4	7 3/8			91/2	42	37.19
6 PH 9	Vamp	96	$7\frac{13}{16}$	7 1/8	1915	$3\frac{5}{16}$	$9\frac{1}{2}$	50	40.55
6 PH 11	Vine	109	$9\frac{1}{16}$	73/8	1915	311	91/2	62	43.01
6 PH 13	Vogue	126	$10\frac{7}{16}$	73/8	1915	41/8	91/2	70	45.53
6 PH 15	Vice	140	1111	73/8	1915	45/8	91/2	80	48.07
6 PH 19	Virtue	171	$14\frac{5}{16}$	73/8	1915	51/2	91/2	92	54.40
	, ii cuc		1110	. 70	1016	0 /2	3/2	02	0T.TO

### Dimensions in Inches


Type	Code Word	Amp. Hr. Capacity 5 Amp. Rate	FOE Length	Width W	FOR Length L	RM D Width W	Height H	Weight Lbs.	Price
6 PL 9	Vouch	83	9 9 16	7 %			73/4	36	29.72
6 PL 11	Vortex	94	10	7 3/8		*****	73/4	42	33.50
6 PL 13	Vowel	104	$10\frac{7}{16}$	7 1/8			7 3/4	53	35.53
6 PL 15	Volt	121	10 %	81/8			7 3/4	55	41.94
6 PL 19	Void	158	******	*****	1915	10	73/4	59	53.25
6 PX 9	Vacant	84	$9\frac{9}{16}$	7 1/8	*******		81/4	38	30.23
6 PX 11	Vacuum	96	10	7 3/8			81/4	44	35:19
6 PX 13.	Van	108	$10\frac{7}{16}$	7 1/8			81/4	55	40.48
6 PX 15	Vague	126	10 1/8	81/8		*****	81/4	64	45.26
6 PX 19	Valley	152		*****	$19\frac{15}{16}$	10	81/4	72	53.25
6 PH 9	Veal	96	$9\frac{9}{16}$	7 %	*******		91/2	49	40.55
6 PH 11	Vein	109	10	7 1/8	*******		91/2	54	43.01
6 PH 13	Vend	126	$10\frac{7}{16}$	73/8	******	******	91/2	70	45.53
6 PH 15	Vent	171	10 1/8	81/8			91/2	80	48.07

Type	Code Word	Amp. Hr. Capacity 5 Amp. Rate	FORM A Length	Width	Height	Wt., Lbs.	Price
16 PL 7	Bang	62	$16\frac{3}{16}$	73/8	73/4	76	55.03
16 PL 9	Badge	83	19	7 3/8	7 3/4	90	61.98
16 PS 7	Birch	62	$16\frac{3}{16}$	5 1/8	91/8	76	55.03
16 PS 9	Blaze	83	19	5 1/8	91/8	90	61.98

Other voltages and assemblies can be made to order. Give model of car and year of make; also dimensions of old battery whenever possible. We carry a large selection of made-up cells in stock and can assemble any size battery on rush orders.

# BATTERIES FOR 12-VOLT STARTING AND LIGHTING SYSTEM Always Give Code Word—Assembly No.—Form Dimensions in Inches

Dimensions in Inches									
Туре	Code Word	Amp. Hr. Capacity 5 Amp. Rate	FORM Length	A Width	FOR	M E Width	Height	Wt., Lbs.	Price
12 PL 5	Slab	53	913	73/8	1915	4	73/4	50	40.63
12 PL 7	Slime	62	121/4	73/8	1915	415	73/4	58	44.91
12 PL 9	Slick	83	14 9 16	73/8	1915	516	73/4	70	51.58
12 PL 11	Sleet	94			1915	$6\frac{7}{16}$	73/4	82	56.41
12 PL 13	Slave	. 104			. 1915	7 3 16	73/4	95	58.80
12 PL 15	Slash	118			1915	81/8	73/4	112	65.27
	Slack	60	913	73/8	1915	4	81/4	62	43.16
12 PX 5	Slate	71	121/4	73/8	1915	415	81/4	68	46.81
12 PX 7		84	14 9	73/8	1915	5 16	81/4	82	51.86
12 PX 9	Shirt	96			1915	676	81/4	96	54.45
12 PX 11	Shine	108			1915	7 3 16	81/4	110	59.92
12 PX 13	Skate	126		******	1915	81/8	81/4	124	65.35
12 PX 15	Sift	53	913	95%	151/4	4	91/8	50	40.63
12 PS 5	Slant		$12\frac{1}{2}$	95/8	151/4	415	91/8	58	44.91
12 PS 7	Soil	62		95/8	151/4	$5\frac{9}{16}$	91/8	70	51.58
12 PS 9	Snuff	83	$14\frac{9}{16}$	978					56.41
12 PS 11	Snow	94			151/4	616	91/8	82	
12 PS 13	Snub	104			151/4	7 16	91/8	95	59.80
12 PS 15	Soft	118			151/4	81/8	91/8	112	65.27
12 PS 19	Sofa	158			151/4	10	91/8	130	78.60
12 PH 5	Spice	68	913	73/8	1915	4	91/2	80	49.22
12 PH 7	Spell	80	12½	73/8	1915	415	91/2	89	59.54
12 PH 9	Speck	96	14 16	73/8	1915	5 16	91/2	105	66.88
12 PH 11	Spider	109			1915	676	91/2	124	72.78
12 PH 13	Speak	126			1915	7 3 6	91/2	140	80.75
12 PH 15	Spray	140			1915	81/8	91/2	160	87.82
12 PH 19	Spur	171		******	1915	10	91/2	180	105.75
	Code	Amp. Hr. Capacity 5	FORM	C					
Type	Word	Amp. Rate	Length		Width	Height	t Wt.	, Lbs.	Price
12 PL 5	Tame	53	13 %		5 %	73/4		50	\$40.63
12 PL 7	Talon	62	13 %		63/4	73/4		58	44.91
12 PL 9	Tang	83	13 %		718	73/4		70	51.58
12 PL 11	Tansy	94	13 %		916	73/4		82	56.41
12 PL 13	Tape	104	13%		1016	73/4		95	58.80
12 PL 15	Talk	121	13 %		1116	73/4		112	65.27
12 PL 19	Tabby	140	13%		14 16	73/4		120	70.56
12 PX 5	Tally	60	13%		5%	81/4		62	41.63
12 PX 7	Tent	71	13%		63/4	81/4		68	45.91
12 PX 9	Temple	84	13%		718	81/4		72	52.58
12 PX 11	Tennis	96	13%		916	81/4		84	57.41
12 PX 13	Thin	108	13 %		10 76	81/4		97	59.80
12 PX 15	Theme	126	13%		1111	81/4		116	66.27
12 PX 19	Think	152	13%		14 16	81/4		128	71.56
12 PS 5	Tire	53	101/2		5 %	91/8		50	40.63
12 PS 7	Till	62	101/2		63/4	91/8		58	44.91
12 PS 9	Tight	83	101/2		713	91/8		70	51.58
12 PS 11	Town	75	101/2		710	91/8		82	56.41
12 PS 13	Toy	95	101/2		1076	91/8		95	59.80
12 PS 15	Trace	118	101/2		1111	91/8		112	65.27
12 PS 19	Truck	158	101/2		145	91/8		120	78.60
12 PH 5	Torch	68	13%		5 3/8	91/2		80	49.22
12 PH 7	Trick	80	135%		63/4	91/2		89	59.54
12 PH 9	Tunnel	96	13%		718	91/2		105	66.88
12 PH 11	Trust	109	13%		916	91/2		124	72.78
12 PH 13	Tulip	126	135%		1016	91/2		140	80.75
12 PH 15	Tunic	140	13%		1111	91/2		160	87.82
			40/0			W 14			
12 PH 19	Turk	171	13%		145	91/2		180	105.75




ASSEMBLY No. 101 Type 6 PL 19 A

Length 145"

Width 7%"

Height




ASSEMBLY No. 102 Type 6 PS 15 A

Length 1116"

Width 57/8"

Height 91/8"




103

ASSEMBLY No. 103 Type 6 PL 15 A

Length 1116"

Width 73/8"

Height 73/4"




LEADS - IN LONG

ASSEMBLY No. 104 Type 6 PL 11 A

Length 916"

Width 73/8"

Height 73/8"




105

ASSEMBLY No. 105 Type 6 PL 13 A

Length  $10\frac{7}{16}''$ 

Width 73/8"

Height 73/4"




ASSEMBLY No. 106 Type 6 PL 19 A

Length 145"

Width 73/8"

Height 73/4"



ASSEMBLY No. 107 Type 6 PL 15 A


Length 1116" Width 73/8"

Height Length 73/4" 1016"

108

ASSEMBLY No. 108 Type 6 P 13 A

Width Height 73/8" 81/4"



109 ASSEMBLY No. 109

Type 6 PH 11 A Length 916"

Width 73%"

Height 9½"


LEADS 18- LONG NO 4 CABLE. 110

ASSEMBLY No. 110 Type 6 PS 19 A

Length 145"

Width 57/8"

Height 91/8"




ASSEMBLY No. 111 Type 6 PL 13 A

Length 1016"

Width 73%"

Height 73/4"

Outside Box Dimensions Given.




ASSEMBLY No. 112 Type 6 PS 19 A

Length 145"

Width

Height 91/8"




113

ASSEMBLY No. 113 Type 12 PL 9 A

Length 14 9 "

Width 73/8"


Height 73/4"



ASSEMBLY No. 114

Length 1116"

Type 6 PS 15 A
Width
5 7/8" Height 91/8"



LEAD IZLOVE


Nº 4 CABLE

115 ASSEMBLY No. 115 Type 6 PX 11 A
Width

Length  $9\frac{1}{16}"$ 

73/8"

Height 81/4"




116

ASSEMBLY No. 116 Type 6 PX 13 A
Width
73/8"

Length  $10\frac{7}{16}"$ 

Height 81/4"




117

ASSEMBLY No. 117 Type 6 PH 11 A

Length. 916"

Width 73/8"


Height 91/2"



ASSEMBLY No. 118 Type 16 PL 9 A
Width
73%"

Length 19"


Height 73/4"



Nº4 CABLE ASSEMBLY No. 119 Type 16 PL 7 A
Width
7%"

Length  $16\frac{3}{16}''$ 

Height 73/4"




ASSEMBLY No. 120 Type 16 PL 7 A

Length

Width 73/8"

Height 73/4"




ASSEMBLY No. 122 Type 12 PL 7A

Length 121/4"

Width 73/8"

Height 73/4"

Outside Box Dimensions Given.




ASSEMBLY No. 123 Type 16 PL 7 A

Length  $16\frac{3}{16}"$ 

Width

Height




ASSEMBLY No. 124 Type 12 PL 7 A

Length 121/4"

Width 73/8"

Height




125

ASSEMBLY No. 125 Type 12 PL 7 A

Length 121/4"

Width

Height




LEAD 12'LONG NOB CABLE 126

ASSEMBLY No. 126 Type 12 PL 9 A

Length 14 9 "

Width 73/8"

Height 73/4"




LEAD 12 10 18 NOS CABLE 127

> ASSEMBLY No. 127 Type 12 PL 7 A

Length 121/4"

Width 73/8"

Height 73/4"



ASSEMBLY No. 128 Type 6 PX 13 A

Length  $10\frac{7}{16}"$ 

Width 73/8"


Height

ASSEMBLY No. 129 Type 6 PS 13 A

Length  $10\frac{7}{16}''$ 

Width 57/8"

Height 91/8"




130

ASSEMBLY No. 130 Type 6 PS 13 A

Length  $10\frac{7}{16}"$ 

Width 57/8"


Height 91/8"



ASSEMBLY No. 131 Type 12 PL 11 A

Length 175/8"

Height 73/4"




132

ASSEMBLY No. 132 Type 6 PL 13 A

Length  $10\frac{7}{16}$ "

Width 73/8"

Height 73/4"




133


ASSEMBLY No. 133
Type 6 PL 13 B

ngth Width Heis
15" 41%" 73/4 Height 73/4" Length 1915"

Outside Box Dimensions Given.




ASSEMBLY No. 134 Type 6 PL 13 B
Width
41/8" Length 1915" Height 73/4"



135


ASSEMBLY No. 135

Type 6 PL 13 B
Width
41/8" Length 1915" Height 73/4"



ASSEMBLY No. 136

Type 12 PS 7 A
Width
95%" Length 12½" Height 91/8"




LEGOS 135 LONG

ASSEMBLY No. 137 Type 6 PS 13 A
Width
5 1/8"


Length 107"

Height




NO 4 CABLE

ASSEMBLY No. 138 Type 6 PS 15 A
Width
518" Length 12" Height 91/8"




ASSEMBLY No. 139 Type 6 PS 19 A Width 57/8" Length 1416" Height 91/8"



ASSEMBLY No. 140 Type 18 PS 7 E

Length 15%" Height

Outside Box Dimensions Given.




ASSEMBLY No. 141 Type 12 PL 9 D

Length 1915"

Width

Height 73/4"




142

ASSEMBLY No. 142 Type 6 PX 15 B
Width
45%"

Length 1915"

Height 81/4"




ASSEMBLY No. 143 Type 18 PS 11 E

Length 1513"

Width 91/2"

Height 91/8"




144

ASSEMBLY No. 144 Type 6 PS 19 B
Width
5½"

Length

Height 91/8"




145

ASSEMBLY No. 145 Type 18 PS 9 EC h Width F 81/8"

Length 15 13 "

Height 91/8"




146

ASSEMBLY No. 146 Type 6 PS 19 B
Width
5½"

Length 151/4"

Height 91/8"




147

ASSEMBLY No. 147 Type 12 PL 13 A
Width
7%

Length 201/8"

Height 73/4"


Outside Box Dimensions Given.



Type 6 PH 15 A
Width
73%"


Length 1116"

Height 9½"



ASSEMBLY No. 149


Type 12 PL 9 A
Width
7%" Height 73/4" Length 149"



ASSEMBLY No. 150


Type 12 PS 7 A
Width Length 95/8"

Height



151 ASSEMBLY No. 151 Type 6 PX 13 A

Width 73/8" Length Height 1076" 81/4"




ASSEMBLY No. 152

Type 12 PS 11 A


Width

5\frac{15}{16}" Length 175/8" Height 91/8"




ASSEMBLY No. 153 Type 12 PS 15 D

Width 81/8" Length Height 91/8" 151/4"




ASSEMBLY No. 154 Type 6 PL 19 A

Length 1615" Width 73/8" Height 73/4"




ASSEMBLY No. 155 Type 12 PX 9 D

Length Width  $19\frac{15}{16}$ ".  $5\frac{9}{16}$ " Height



ASSEMBLY No. 156 Type 12 PL 9 A


Width Height Length 73/8" 73/4" 14 9 "



ASSEMBLY No. 157


Type 12 PX 7 A
Width
73%" Length 121/4" Height 81/4"

Outside Box Dimensions Given.




ASSEMBLY No. 158 Type 12 PX 9 A

Length 14 8 " Width 73/8" Height



ASSEMBLY No. 159 Type 6 PL 19 AP
Width
777

Length 145%" Height 73/4"




160 ASSEMBLY No. 160

Type 6 PH 15 A


Width Height

7%"
9½" Length 1111 "




ASSEMBLY No. 161

Type 12 PH 9 A Width 73%" Length Height 14 9 "




162 ASSEMBLY No. 162

Type 6 PL 15 A
Width
73%" Length 1116" Height




ASSEMBLY No. 163

Type 24 PL 5 A
Width
7716" Length 183/8" Height 73/4"




ASSEMBLY No. 164

Type 6 PL 15 A
Width
73/8" Height 73/4" Length



ASSEMBLY No. 165


Type 24 PS 59 Width 71/4" Length 191/4" Height 91/8"



166

ASSEMBLY No. 166
Type 6 PX 13 B


ngth Width Heir
15" 41%" 81/4 Height 81/4" Length 1915"



ASSEMBLY No. 167 Type 6 PL 15 B
Width
45%"

Length 1915"

Height 73/4"




168 ASSEMBLY No. 168 Type 6 PX 13 C

Length  $10\frac{7}{16}''$ 

Width 73/8"


Height 81/4"



169 ASSEMBLY No. 169

Length 916"


Type 6 PH 11 A
Width
73%" Height 91/2"



ASSEMBLY No. 170 Type 6 PS 11 C
Width
6 9 7

Length 83/4"


Height 91/8"



171 ASSEMBLY No. 171 Type 6 PL 13 A
Width
73/8"

Length  $10\frac{7}{16}$ "

Height 73/4"




172

ASSEMBLY No. 172 Type 6 PS 19 A
Width

Length 14 5 "

57/8"

Height 91/8"




173

ASSEMBLY No. 173 Type 6 PS 19 B
Width
5½"

Length 151/4"


Height 91/8"



174 ASSEMBLY No. 174 Type 6 PL 13 A
Width
73%"

Length  $10\frac{7}{16}$ "

Height 73/4"




175 ASSEMBLY No. 175 Type 6 PL 15 A

Length 1116"

Width 73/8"

Height 73/4"


Outside Box Dimensions Given.



176 ASSEMBLY No. 176 Type 6 PH 11 A
Width
776"

Length 916"

Height




ASSEMBLY No. 177 Type 6 PS 19 B Width

Length 151/4"

51/2"

Height 91/8"



178 ASSEMBLY No. 178 Type 6 PL 13 A


Length

Width 73/8" Height 73/4"

179 ASSEMBLY No. 179

Type 6 PL 13 A
Width Length

Height 73/8" 73/4"  $10\frac{7}{16}''$ 




180

ASSEMBLY No. 180 Type 6 PX 13 A
Width

Length  $10\frac{7}{16}"$ 

73/8"

Height 81/4"




ASSEMBLY No. 181 Type 6 PH 15 C

Length 10 1/8"

Width 81/8"


Height 9½"



182 ASSEMBLY No. 182 Type 6 PH 15 C Width 81/8"

Length 10 1/8"

Height 91/2"




183 ASSEMBLY No. 183 Type 24 PS 5 H

Length 115/8"

Width 85/8"

Height 91/2"




184

ASSEMBLY No. 184 Type 6 PX 13 B

Length 1915"

Width 41/8"

Height 81/4"




185

ASSEMBLY No. 185 Type 6 PL 15 A

Length 1116"

Width 73/8"

Height 73/4"




186

ASSEMBLY No. 186 Type 18 PS 11 E

Length 15%"

Width 81/4"

Height 91/8"




187 ASSEMBLY No. 187 Type 6 PX 13 A

Length 1078"

Width 7%"

Height 81/4"


Outside Box Dimensions Given.



188 ASSEMBLY No. 188 Type 24 PS 5 H
Width
95%"

Length 105/8"


Height 91/2"



ASSEMBLY No. 189


Type 6 PX 11 A

Length Width Height
9 16" 7 3/8" 8 1/4"




ASSEMBLY No. 190
Type 6 PX 11 A

Length Width Height
916" 738" 814"




191

ASSEMBLY No. 191
Type 6 PX 13 B
Length Width Height
19 15" 41%" 81/4"



192 ASSEMBLY No. 192 Type 6 PX 13 A Length Width Height 107" 7%" 81/4"




ASSEMBLY No. 193
Type 6 PL 13 A
Length Width Height
10 16" 73%" 734"

٩٥٩٥٩٩٩

ASSEMBLY No. 194

Type 6 PS 15 B

Length Width Height
151/4" 45%" 91/8"



ASSEMBLY No. 196
Type 12 PL 7 A

Length Width Height 73%" 734"


Outside Box Dimensions Given.

197 ASSEMBLY No. 197


Type 12 PL 7 A

Length Width Height

12 1/4" 7 7/8" 7 7/4"




198 ASSEMBLY No. 198 Type 12 PS 9 E Length 10½" Width Height




199 ASSEMBLY No. 199
Type 12 PS 9 A


ngth Width Hei
9 7 9 % 9 9 % Length 14 9 " Height 91/8"



200 ASSEMBLY No. 200 Type 12 PX 7 A Length 121/4" Width Height 73/8" 81/4"




201 ASSEMBLY No. 201 Type 6 PX 13 A Width Length Height  $10\frac{7}{16}"$ 



ASSEMBLY No. 202 Type 6 PX 11 A
Width
73/8" Length 81/4" 916"


203 ASSEMBLY No. 203

Type 6 PX 13 A
Width
7 %" Height 81/4" Height Length 1076"




ASSEMBLY No. 204 Type 12 PL 7 A
Width
73/8"


Length 121/4" Height 73/4"



205



206



207

ASSEMBLY No. 205 Type 6 PX 11 A

Width 73/8" Length  $9\frac{1}{16}"$ 


Height Length 81/4" 11116"

ASSEMBLY No. 206 Type 6 PX 15 A
Width
73%"

Height 81/4"

ASSEMBLY No. 207 Type 12 PX 7 A
Width
7 %" Height 81/4" Length 121/4"


Outside Box Dimensions Given.



ASSEMBLY No. 208 Type 6 PS 15 B
Width
45%"

Length 151/4"

Height 91/8"




209

ASSEMBLY No. 209 Type 12 PX 7 A

Length 121/4"

Width 73/8"

Height 81/4"




210 ASSEMBLY No. 210 Type 6 PX 11 A

Length 916"

Width 73/8"

Height 81/4"




211

ASSEMBLY No. 211 Type 12 PX 5 A

Length 913"

Width 73/8"

Height 81/4"




212 ASSEMBLY No. 212 Type 6 PX 13 A

Length 1076"

Width 73/8"


Height 81/4"



ASSEMBLY No. 213 Type 12 PL 7 A
Width

Length 121/4" 73/8"


Height 73/4"



ASSEMBLY No. 214 Type 6 PX 11 A
Width
73%"

Length 916"

Height 81/4"




215 ASSEMBLY No. 215 Type 6 PX 11 A

Length 916"

Width 73/8"

Height 81/4"




216

ASSEMBLY No. 216 Type 12 PS 9 A

Length 14 9 "

Width 95/8"


Height 91/8"



217

ASSEMBLY No. 217 Type 6 PX 11 A Length Height


Width 73/8" Outside Box Dimensions Given.



218


ASSEMBLY No. 218 Type 6 PX 11 A
Width
7%" Length Height 916"

81/4"



219

ASSEMBLY No. 219 Type 6 PX 13 A Height Width 73/8" Length 1016"




ASSEMBLY No. 220 Type 6 PX 11 B

Length 1915"

Width

Height 81/4"




221

ASSEMBLY No. 221 Type 6 PX 15 A
Width
73%"

Length 1116"

Height 81/4"




222

ASSEMBLY No. 222 Type 6 PL 23 A
Width
777"

Length 171/4"

Height 73/4"




225

ASSEMBLY No. 223 Type 12 PX 11 D h Width F 678"

Length 1915"

Height 81/4"



224


ASSEMBLY No. 224
Type 6 PL 23 B

ngth Width Heir

3" 678" 73/4

Length 20 3 "

Height




ASSEMBLY No. 225 Type 12 PX 9 D Width 7%"

Length 14 9 "

Height 81/4"

Outside Box Dimensions Given.




ASSEMBLY No. 226 Type 12 PX 11 D Width H Height Length 1915"

CHANGE BURNESS LEAD 7"LONG #4 CABLE

> 227 ASSEMBLY No. 227 Tye 6 PX 11 A
> Width
> 73/8"

Length  $9\frac{1}{16}"$ 


Height 81/4"



228 ASSEMBLY No. 228 Type 6 PX 11 A
Width
73%"

Length 916"

Height 81/4"



229

ASSEMBLY No. 229 Type 8 PS 15 D
Width
8 %"

Length 107/8"

Height Length  $9\frac{1}{8}$ "  $9\frac{1}{16}$ "

230

ASSEMBLY No. 230

Type 6 PX 11 A
th Width 1
73%"


Height 81/4"

231

ASSEMBLY No. 231 Type 12 PX 7 A
Width
73/8"


Length 121/4"

Height 81/4"



232

ASSEMBLY No. 232 Type 6 PX 13 B
Width
41/8" Length 1915" Height



ASSEMBLY No. 233 Type 6 PX 13 B
Width
41/8"

Length 1915"


Height 81/4"

Outside Box Dimensions Given.

[BLANK PAGE]



CCA



[BLANK PAGE]



